

# PENETRATOR™

**A modified vegetable oil with penetrating and spreading qualities,  
which increases the penetration and efficacy of a range of  
sulfonylurea herbicides**

## **ACTIVE INGREDIENTS**

Methylated Vegetable Oil ..... 700 g/l  
Alcohol ethoxylate ..... 250 g/l



Sineria (Industries) Ltd  
Neofytou Georgiou, 24 Bridge House  
Mesa Geitonia, Limassol, Cyprus  
info@sineria.org, www.sineria.org

Contents • Batch number • Manufacture date

Blank area for labeling information.

## WARNINGS

- Handle with care.
- Can cause skin and eye irritation.
- Observe any warnings that apply to the product or products with which PENETRATOR™ is to be used.
- Store in a cool place away from food and feed.
- Keep out of reach of children, uninformed persons and animals.
- In case of poisoning call a doctor and make this label available to him/her.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animals or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

## PRECAUTIONS

- Wear suitable protective clothing and rubber gloves when handling the concentrate.
- Wash with running water after accidental skin or eye contact.
- If irritation persists, get medical advice.
- Do not smoke, drink or eat while handling this product or before washing hands.
- Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container.
- Destroy container when empty.

## SYMPTOMS OF HUMAN POISONING:

May cause irritation to the eyes, skin, respiratory and digestive tract.

## FIRST AID TREATMENT:

### Inhalation:

Immediately remove from exposure to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Obtain medical advice if necessary.

### Ingestion:

If victim is conscious and alert, give 2 - 4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Seek medical advice immediately.

### Skin Contact:

Flush skin with plenty of soap or mild detergent and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. Wash clothing before re-use.

### Eye Contact:

Immediately flush eyes with water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

### NOTE TO PHYSICIAN:

Treat symptomatically.

## DIRECTIONS FOR USE: USE ONLY AS INDICATED

### MIXING INSTRUCTIONS:

Pre-mix PENETRATOR™ with water and add to the spray mix containing the agricultural remedy. Do not use PENETRATOR™ with other adjuvants.

### GENERAL NOTES:

PENETRATOR™ is a complete adjuvant with penetrating and spreading properties. PENETRATOR™ enhances cuticular penetration of sulfonylurea and other herbicides. PENETRATOR™ has been shown to increase the efficacy of the SU's, triazines, Phenoxy compounds, and Triazoles.

### RECOMMENDED RATES:

HERBICIDES	RATE	REMARKS
Sulfonylurea containing herbicides	0,5 - 0,75 ℓ/ha	Adhere to the mixing and use instructions of the herbicide concerned.
Phenoxy and other herbicides	0,25 ℓ/ha	
Triazoles and Urea compounds	0,5 - 1 ℓ/ha	
Triazine and acetanilides	0,25 - 0,75 ℓ/ha	

### NOTES:

- Consult the relevant label of the product with which PENETRATOR™ is to be used prior to mixing and application.
- Rate is dependent on the leaf area of the target plants. Increase the rates as the leaf area increases.