

GENERAL INFORMATION:

Description:

Metafur 800EC™ is a contact nematicide for the control of plant parasitic nematodes in vegetables, ornamentals and sugarcane.

Mode of Action:

A protection of the crop plants is achieved after soil application by contact action of the active ingredient against nematodes. **Metafur 800EC™** gives 3-4 months protection against nematodes due to its long residual activity. The insects are paralysed and stop feeding within hours, preventing subsequent crop damage.

RECOMMENDATIONS FOR USE:

Application Timing and Technique: **Metafur 800EC™** should be applied in drip/trickle irrigation system. Commence watering to moisten soil, and then inject **Metafur 800EC™** in irrigation system as long as possible (minimum 1/2 hour). Flush system with water to ensure no **Metafur 800EC™** remains in the system.

DIRECTIONS FOR USE:

Crops	Target Pests	Rate	Remark
Vegetables	Nematodes	20 L / Ha	A split application of 10 + 10 L at 2-week interval is recommended.
Ornamentals	Nematodes	20 L / Ha	A split application of 10 + 10 L at 2-week interval is recommended.
Sugarcane	Nematodes	20 L / Ha	A split application of 10 + 10 L at 2-week interval is recommended.

Re-entry period: 12 hours or when mixture has dried.

Compatibility: The supplier makes no recommendation in regard to the compatibility of this product with any other products. No warranty is provided by the supplier for mixtures of this product with any other products. When mixing this product with other products the buyer/user takes full responsibility and risk.

Warranty: Seller's guarantee is limited to the term's set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

PLEASE, READ ENTIRE LABEL AND INSERT PRIOR TO USE.



Metafur®

A contact nematicide for the control of plant parasitic nematodes on crops as listed

Active Ingredient:

Saccharum officinarum plant extract...800 g/ L

READ THE ENTIRE LABEL AND INSERTS PRIOR TO USE

KEEP LOCKED UP & OUT OF REACH OF CHILDREN

Manufacture Date:	
Expiry Date:	
Batch No.:	

Shelf life: 2 years from the date of manufacture if stored in unopened original container in a cool and dry place.

Manufactured for:

Sineria

SINERIA Holland BV
Randwycksingel 20-A015
6229 EE Maastricht,
The Netherlands
Tel: +31 43 204 11 20
www.sineria.com

Metafur is a trademark of Sineria Holland BV.



HAZARDS / PRECAUTIONS:

This product is very toxic when swallowed, inhaled or absorbed through the skin. May cause irritation of the skin, eyes, and mucous membranes and may cause sensitization.

Handling: Wear suitable protective clothing, gloves, face shield / safety goggles and respirator when preparing the spray mixture, and in addition, impermeable boots when spraying. Avoid breathing the spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of the spray mist. Do not smoke, drink or eat while handling the product.

After work: Change protective clothing and wash hands thoroughly with soap and plenty of water. Wash the spraying equipment and contaminated clothing carefully.

STORAGE: Store in tightly (or sealed) original container, in a cool, dry place, out of reach of children and unauthorized persons, away from food, drinks and animal feed.

DISPOSAL: Dispose of by triple-rinsing and crushing or perforating empty container and throwing them away in an authorised landfill site or bury in a safe place away from water supplies. Do not re-use empty containers for any other purpose. Pesticide spray mixture or rinsate that cannot be used must be disposed of in a safe place where it cannot contaminate surface water and ditches or by spraying it on fallow land.

Pesticide Leakage and Spillage: In event of heavy spillage, collect the contaminated soil layer and bury in an authorised place away from water supplies. Soaking in sand, soil or saw dust may collect small spillage. Contaminated absorbent material must be stored in marked waste bins prior to disposal in authorised landfill site. The pesticide store must be decontaminated with a lot of water.

Wildlife and Environmental Protection: **Metafur 800EC™** is toxic to fish and other aquatic life. It is harmful to birds, animals and relatively toxic to bees but due to the mode of application as drip/trickle irrigation, a hazard to bees is not to be expected. Do not contaminate ponds and waterways by direct application, cleaning of equipment, disposal of wastes and empty containers. Keep livestock and wildlife out of treated areas.

First Aid Measures:

Ingestion: If victim is fully conscious, immediately give 1 or 2 glasses of water to dilute and suspension of 10 g or more (3 tablespoons) of medicinal charcoal in 150-200 ml of water. Before the doctor arrives, keep the patient strictly at rest and warm in fresh air and give 2 tablets each of 0.5 mg atropine sulphate. Do not give milk. Never give anything by mouth to an unconscious person. Show this label to the doctor.

Inhalation: Remove from exposure area to fresh air immediately. Perform artificial respiration if necessary. Keep person warm and at rest. Obtain medical attention.

Skin contact: Remove contaminated clothing and shoes immediately. Wash with soap or mild detergent and large amounts of water until no evidence of chemical remains. Get medical attention immediately.

Eye contact: Wash eyes immediately with large amounts of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains

TOXICOLOGICAL INFORMATION: Signs of poisoning in mammals include eye irritation, headache, weakness, blurred vision, sweating, salivation, tightness of chest and may affect nervous system.

ANTIDOTE: No specific antidote. **NOTE TO PHYSICIAN:** Treat symptomatically.

Net Content: **1L**