



# CAL-PRO™

CAL-PRO™ is an organic calcium fertilizer for use as a foliar feed to maintain or correct calcium levels in plants

## FERTILIZER GROUP 1

### ACTIVE INGREDIENT

Calcium (Ca) 65 g/kg (84 g/l)

**SG = 1,32 ± 0,02**

*L-amino acid chelated*

**Sineria**

SINERIA HOLLAND BV  
Randwycksingel 20-A015  
6229 EE Maastricht The Netherlands  
[www.sineria.com](http://www.sineria.com)

Contents • Batch number • Manufacture date

**CAL-PRO™** is compatible with most agricultural remedies. However, do **NOT** apply **CAL-PRO™**:

- in combination with copper containing fungicides, phosphates or phosphonates
- within 30 days after application of any copper fungicides
- in combination with highly alkaline material such as lime sulphur or certain boron products.

**CAL-PRO™** should preferably be applied in the early morning or late afternoon. Do not apply to plants that are undergoing a period of moisture or heat stress.

For optimum results, **CAL-PRO™** should be used in a programme and in combination with other balanced fertilizers and foliar feeds. Consult your chemical distributor should crop specific programmes or any other information be required about the use of **CAL-PRO™**.

## DIRECTIONS FOR USE: USE ONLY AS DIRECTED

CROP	MAX. RATE PER HA.	RATE PER 100ℓ WATER	REMARKS
Apples	15 ℓ	550 mℓ	Apply as a full cover spray in 1000-3000 ℓ spray water directly after fruit set. Repeat every 7-10 days to ensure 6-8 sprays and 6-12 sprays for bitter pit sensitive cultivars. If vigorous shoot growth appears use the higher dosage and increase the amount of sprays.
Avocado's	15 ℓ	550 mℓ	Apply as a full cover spray in 1000-3000 ℓ spray water. Start first application on flower trusses. Repeat 3 times in early spring on new growth. Add 6 mℓ Aqua-Wet per 100 ℓ. Apply in 1000-3000 ℓ water per hectare.
Brassicae, Lettuce, Beet	3,5 ℓ		Apply 2-3 sprays, starting 4 weeks after transplant. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 300 ℓ water per ha.
Celery	3,5 ℓ		Start application after seedlings have established. Repeat every 7-10 days. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 300 ℓ water per hectare.
Cucurbits, Tomatoes and Peppers	5 ℓ		Start application after fruit set. Repeat every 7-10 days. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 500 ℓ water per hectare.
Citrus	15 ℓ	550 mℓ	Start application in October directly after fruit set. Repeat every 7-10 days (4-5 applications). Apply in 1000-3000 ℓ water per ha.
Cotton	3,5 ℓ		Start application when plants reach a height of 30cm. Apply 2-3 sprays. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 500 ℓ water per hectare.
Grapes	5 - 7 ℓ		Start application directly after fruit set. Apply 3-4 sprays. Apply in 1000-1500 ℓ water per hectare.
Litchi, Mangoes	15 ℓ	550 mℓ	Start application during flowering. Apply 2-3 sprays at 10-day intervals. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 1000-3000 ℓ water per hectare.
Potatoes	5 ℓ		Start application at tuber initiation. Apply 3-4 sprays at 10-14 day intervals. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 500 ℓ water per hectare.
Soybeans, Groundnuts, Green Beans	3,5 ℓ		Start application at flowering. Apply 2 sprays at 7-day intervals. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 300 ℓ water per ha.
Stone Fruit (Plums, Peaches, Nectarines)	9 ℓ	300 mℓ	Start application directly after fruit set. Apply 4-6 sprays at 10-day intervals. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 1000-3000 ℓ water per hectare.
Sugarcane	5 ℓ		Start application in early spring. Apply 2 sprays at 10-day intervals. Add Aqua-Wet at 6 mℓ per 100 ℓ. Apply in 500-1500 ℓ water per hectare.
Other Crops	5 ℓ		Apply as a medium cover spray and repeat at 14-day intervals. Apply in 500 ℓ water per hectare.

**Use lower rates as a maintenance spray and higher rates to correct deficiencies.**