



# EPISODE® 480SC

NEW GENERATION, HIGHLY ACTIVE INSECTICIDE,
DERIVED FROM NATURAL OCCURRING SOIL FUNGI
AGAINST LEPIDOPTERA PESTS AND THRIPS

#### ACTIVE INGREDIENT: Spinosad 480 gr/lt

- Episode 480SC is an insecticide with a novel mode of action which is Saccharopolyspora spinosa bacteria.
- · The neural mode of action underpinning spinosad insecticides targeting binding sites on nicotinic acetylcholine receptors (nAChRs) of the insect nervous system are distinct from other insecticides. Episode 480SC binds to the nAChRs which results in the disruption of acetylcholine neurotransmission, thus killing insects via the hyperexcitation of their nervous system.
- Episode 480SC also has secondary effects as a γ-amino-butyric acid (GABA) neurotransmitter agonist.
- Episode 480SC has so far proven not to cause cross-resistance with any other known insecticides.

#### Unique mode of action with excellent efficacy against the targeted pests!

#### IRAC MoA Classification Version 9.1, December 2018

Main Group and Primary Site of Action	Sub-group or exemplifying Active Ingredient	Active Ingredients
Nicotinic acetylcholine receptor (nAChR) allosteric modulators - Site I Nerve action	Spinosyns	Spinetoram, Spinosad

#### **EPISODE 480SC CHARACTERISTICS**



Highly effective against difficult to control pests (Thrips, Lepidoptera)

Safe to most

common

beneficial

organisms

Pesticide Resistance Management programs

Ideal for

insecticides

No-cross resistance

observed with

other conventional

Low toxicity to people and other mammals

#### **IPM COMPATIBLE**

- Episode 480SC has relatively low impact on beneficial organisms following application.
- Always apply pesticides during the evening when bees are not foraging.
- Episode 480SC has a highly favorable mammalian and non-target toxicology and environmental fate profile.

**DIRECTIONS FOR USE:** 

Episode 480SC should be mixed with water to be ready for use. It may be applied with various types of spraying equipment.


#### **RATE OF APPLICATION:**

Crop	Pest	Application Rate
Ornamentals	Thrips, Caterpillars	150 - 300 ml/ha
Vegetables	Thrips, Caterpillars, Leafminers	150 - 300 ml/ha
Herbs	Thrips	75 - 150 ml/ha

Always alternate with insecticides with different mode of action through the season to prevent the development of resistant pests

#### **APPLICATION TIMING**

- It is recommended to apply Episode 480SC upon the first appearance of pests.
- Ensure thorough coverage of the canopy with the spraying mixture.
- In case of high pest pressure, repeat application at 7-10 days intervals




Episode 480SC trial against thrips and caterpillars in tomato plants Spain, 2019.







### Thrips - % Control against untreated




#### Caterpillars - % Control against untreated












## 2. Episode 480SC trial against thrips and caterpillars on roses



#### Effect of Episode 480 SC on Rose Yield

Sellable

(>40 cm)



**Disclaimer:** This information and all further technical advice is based on our present knowledge and experience and approvals from the registration authorities. The visualizations presented herein are intended for illustrative and educational purposes only. They do not represent scientifically accurate depictions of agricultural processes, nor do they have any legal binding. The information depicted is based on widely recognized agricultural knowledge and practices described in writing. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. In the event of any discrepancies between the information stated herein or any other information source and the information stated on the product label, the information stated on the product label will prevail. The customer/user is not released from the obligation to conduct careful inspection and testing of products. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of the customer on small scale plot. Reference to trade names use by other companies is neither a recommendation nor does it imply that similar products could not be used.